



Catalog Number	
Project	Type

Features & Specifications

Features

- Combines an exit sign and emergency light into one low-profile unit
- Energy-efficient LED technology
- EZ snap-out chevron direction indicators
- UL listed for damp locations & meets UL924, NFPA 101 Life Safety Code, NEC, OSHA, Local and State Codes

Electrical

- Dual 120V/277V voltage.
- Charge rate/power "ON" LED indicator light and push to test switch for mandated code compliance testing.
- Long-life, maintenance-free, rechargeable NiCd battery.
- Internal solid-state transfer switch automatically connects the internal battery to LED board and LED lamp heads for minimum 90-minute emergency illumination.
- Fully automatic solid-state, two-rate charger initiates battery charging to recharge a discharged battery in 24 hours.

Mounting

- Universal surface mount, wall or ceiling, with EZ-snap thermoplastic mounting canopy, which snaps into place making installation quick & easy

Housing

- Injection-molded, engineering-grade, 5VA flame retardant, high-impact, thermoplastic in white or black finish.

Illumination

- Long lasting, efficient ultra-bright white LEDs.
- High-performance chrome-plated metalized reflector and polycarbonate lens for optimal light distribution.
- Adjustable LED lamp heads provides optimal center-to-center spacing. Optional high-lumen heads are available for increased center to-center spacing.
- Long-lasting, energy efficient Red or Green LED exit sign.

Warranty


- Five Year Warranty on all electronics and housing. Batteries are pro-rated warranted for 5 years.

LCLE SERIES LED EXIT/EMERGENCY COMBO



SALIDA faceplates also available

DIMENSIONS



Please contact your Horizon Sales Representative for more information.

Ordering Nomenclature

Ex: (LED Exit/Emergency Combo, Red Letters, Double Face, White Housing = LCLER2W)

LCLE					
SERIES LCLE	LETTER COLOR R - Red G - Green	NUMBER OF FACES 1 - Single Face 2 - Double Face	HOUSING COLOR W - White B - Black	BATTERY Blank - NiCad Battery Standard	ACCESSORIES SD - Self Diagnostic RC - Remote Capable H - High Output 12 LED Heads